

## Quiz for Wave Medical Drug Pro

**1) According to the drug interactions generator, which two drugs should never be taken together because of their potential serious interactions?**

- a) digoxin and benazepril
- b) digoxin and arbutamine
- c) digoxin and atropine
- d) digoxin and flecainide
- e) None of the Above

**2) The recommended pediatric dosing for hydromorphone if taken by mouth (PO) is?**

- a) 0.03-0.08 mg/kg PO q4-6hr PRN
- b) 0.015 mg/kg PO q4-8 hr
- c) 0.5-1.0 mg/kg PO qd PRN
- d) 0.03-0.08 mg/kg IV q4-6 hr PRN
- e) <12 yo: Not Recommended

**3) What is the mechanism of action of eletriptan?**

- a) 5-HT agonist
- b) 4-HT2 agonist
- c) 5-HT1 agonist
- d) Beta adrenergic receptor blocker
- e) None of the Above

**4) According to the drug interactions generator, which two drugs should never be used together because of their potential serious interaction?**

- a) prazosin and diflunisal
- b) prazosin and captopril
- c) prazosin and tadalafil
- d) prazosin and cilazapril
- e) None of the Above

---

**5) Gabapentin is in what pregnancy category?**

- a) A
- b) B
- c) C
- d) D
- e) E

**6) What is the only adverse reaction for olmesartan that occurs at a frequency greater than 1%?**

- a) headache
- b) arthritis
- c) abdominal pain
- d) dizziness
- e) None of the Above

**7) What is the recommended dose of tacrine for a patient under 18 years old?**

- a) Safety and efficacy not established
- b) 10-20 mg PO QID
- c) 20-30 mg PO q4-6 hr
- d) 20 mg PRN
- e) None of the Above

**8) According to the drug interactions generator, which two drugs should never be used because of their potential serious interaction?**

- a) thiotepa and aspirin
- b) thiotepa and acetaminophen
- c) thiotepa and warfarin
- d) thiotepa and palifermin
- e) None of the Above

---

9) Which of the following is NOT a trade name for fenofibrate?

- a) Tricor
- b) Lofibra
- c) Antara
- d) Tridil
- e) None of the Above

## Answers

- 1) b
- 2) e
- 3) c
- 4) c
- 5) c
- 6) d
- 7) a
- 8) d
- 9) d